

AMENDMENTS TO THE CLAIMS

The following listing of claims will replace all prior versions and listings of claims in the application. Kindly amend Claims 1, 6, 8 and 16 as follows.

LISTING OF CLAIMS

1. (Currently Amended) A work box comprising:

a base ~~with~~ having a circumferential edge, at least one ~~extending~~ side wall extending from said circumferential edge enclosing a tool retaining area;

an interruption in said base spanning from one side of the circumferential edge to another and open at said sides of said circumferential edge, said interruption defining a gap for receiving a support for mounting said base on the support.
2. (Original) The work box according to Claim 1, further comprising a strap for securement to the support.
3. (Original) The work box according to Claim 1, wherein said base interruption divides said tool retaining space.
4. (Original) The work box of Claim 1, further comprising a power outlet on an exterior surface of said wall.
5. (Original) The work box of Claim 1, wherein a top covers said at least one extending wall.

6. (Currently Amended) The work box of Claim 1, wherein said ~~bag~~ base has an overall rectangular shape.

7. (Original) A work box in combination with a work table comprising:

- a work table having a table positionable above the ground in a horizontal position;
- a support assembly coupled with said table supporting said table above the ground and a horizontal support member coupled with said support assembly and positioned a desired distance above the ground;
- a work box including a base with at least one extending side wall enclosing a tool retaining area;
- an interruption in said base, said interruption defining a gap for receiving said horizontal support for mounting said base on the support assembly;
- wherein said work box positioned with respect to said work table such that said horizontal support is positioned in said gap for supporting said work box on said work table.

8. (Currently Amended) The combination according to Claim 7, wherein said horizontal support is positioned by a pair of vertical supports.[[.]]

9. (Original) The combination according to Claim 7, wherein said support assembly is collapsible.

10. (Original) The combination according to Claim 7, wherein said support assembly includes wheels.

11. (Original) The combination according to Claim 9, wherein said work box remains on said work table support assembly in said collapsed position.

12. (Original) The combination according to Claim 7, further comprising a strap for securing said work box to said support assembly.

13. (Original) The combination according to Claim 7, wherein said base interruption divides said tool retaining space.

14. (Original) The combination according to Claim 7, further comprising a power outlet on an exterior surface of said wall.

15. (Original) The combination according to Claim 7, wherein a top covers said at least one extending wall.

16. (Currently Amended) The combination according to Claim 7, wherein said ~~bag~~ base has an overall rectangular shape.

17. (Original) The work box according to Claim 1, wherein said gap extends from said base vertically to at least half way up said at least one side wall.